

# Room Safes



ES1028/Black

## Features:

- Illuminated keypad
- Large LED display
- Visual and audio operating signals
- 4 digits code
- Mechanical key override
- Emergency handheld override for safe openings
- 100 last events audit trail
- Low battery indicator (by press button)
- Auto sleep mode for energy saving
- Automatic lockout for 15 minutes after 4 tries
- Motorized locking system
- Scratch resistant powder coat finish
- Standard colours black and ivory

## Specifications:

- Operated 4 x AA battery cells
- Two 19mm diameter hardened steel locking bolts
- Ext. dimension: W430 x D360 x H200mm
- N.W.: 12.5 kgs



ES1028/Ivory



Electronic handheld override for no battery power opening and audit functions

Art.	Optional functions	Color
ES1028	Internal power supply for charging (back of safe)	Black/Ivory



ES1029/Ivory



ES1029/Black



ES1033/Top open safe



### Features:

- LED display
- Visual and audio operating signals
- 3-6 digits code
- Mechanical key override
- Low battery indicator (by press button)
- Automatic lockout for 5 minutes after 3 tries
- Motorized locking system
- Scratch resistant powder coat finish
- Standard colours black and ivory

### Specifications:

- Operated 4 x AA battery cells
- Two 19mm diameter hardened steel locking bolts
- Ext. dimension: W420 x D370 x H200mm
- N.W.: 11.0 kgs

Art.	Optional functions	Color
ES1029	Internal LED light Internal power supply for charging (back of safe) To work with 6V converted power instead of batteries	Black/Ivory

### Features:

- LED display
- Visual and audio operating signals
- 3-6 digits code
- Mechanical key override
- Emergency handheld override for safe openings
- 100 last events audit trail
- Low battery indicator (by press button)
- Automatic lockout for 5 minutes after 3 tries
- Motorized locking system
- Scratch resistant powder coat finish
- Standard colours black and ivory

### Specifications:

- Operated 4 x AA battery cells
- Two 19mm diameter hardened steel locking bolts
- Ext. dimension: W410 x D350 x H150mm
- N.W.: 10.5 kgs

Art.	Optional functions	Color
ES1033	Internal LED light Internal power supply for charging (back of safe) To work with 6V converted power instead of batteries	Black/Ivory

# Room Safes



ES1031/Black

## Features:

- Illuminated keypad
- Large LED display
- Visual and audio operating signals
- 3-6 digits code
- Mechanical key override
- Emergency handheld override for safe openings
- 100 last events audit trail
- Low battery indicator (by press button)
- Automatic lockout for 5 minutes after 3 tries
- Motorized locking system
- Scratch resistant powder coat finish
- Standard colours black and ivory

## Specifications:

- Operated 4 x AA battery cells
- Two 19mm diameter hardened steel locking bolts
- Ext. dimension: W420 x D370 x H200mm
- N.W.: 11.0 kgs



ES1031/Ivory



Electronic handheld override for no battery power opening and audit functions



Art.	Optional functions	Color
ES1031	Internal LED light Internal power supply for charging (back of safe) To work with 6V converted power instead of batteries	Black/Ivory



ES1035/Drawer safe



Electronic handheld override for no battery power opening and audit functions



ES1036/Top open



### Features:

- Illuminated keypad
- LED display
- Visual and audio operating signals
- 3-6 digits code
- Mechanical key override
- Emergency handheld override for safe openings
- 100 last events audit trail
- Low battery indicator (by press button)
- Automatic lockout for 5 minutes after 3 tries
- Motorized locking system
- Scratch resistant powder coat finish
- Standard colours black and ivory

### Specifications:

- Operated 4 x AA battery cells
- Two 19mm diameter hardened steel locking bolts
- Ext. dimension: W420 x D400 x H200mm
- N.W:15.36kgs

### Features:

- LED display
- Visual and audio operating signals
- 3-6 digits code
- Mechanical key override
- Emergency handheld override for safe openings
- 100 last events audit trail
- Low battery indicator (by press button)
- Automatic lockout for 5 minutes after 3 tries
- Motorized locking system
- Scratch resistant powder coat finish
- Standard colours black and ivory

### Specifications:

- Operated 4 x AA battery cells
- Two 19mm diameter hardened steel locking bolts
- Ext. dimension: W410 x D350 x H150
- N.W:11.46kgs

# Room Safes



ES1030/Black

## Features:

- Illuminated keypad
- LED display
- Visual and audio operating signals
- 3-6 digits code
- Mechanical key override
- Low battery indicator (by press button)
- Automatic lockout for 5 minutes after 3 tries
- Motorized locking system
- Scratch resistant powder coat finish
- Standard colours black and ivory

## Specifications:

- Operated 4 x AA battery cells
- Two 19mm diameter hardened steel locking bolts
- Ext. dimension: W420 x D370 x H200mm
- N.W.: 11.0 kgs



ES1030/Ivory

Art.	Optional functions	Color
ES1030	Internal LED light Internal power supply for charging (back of safe) To work with 6V converted power instead of batteries	Black/Ivory



ES1032/Drawer safe

### Features:

- Illuminated keypad
- LED display
- Visual and audio operating signals
- 3-6 digits code
- Mechanical key override
- Emergency handheld override for safe openings
- 100 last events audit trail
- Low battery indicator(by press button)
- Automatic lockout for 5 minutes after 3 tries
- Motorized locking system
- Scratch resistant powder coat finish
- Standard colours black and ivory

### Specifications:

- Operated 4 x AA battery cells
- Two 19mm diameter hardened steel locking bolts
- Ext.dimension: W420 x D400 x H200mm
- N.W:15kgs



Electronic handheld override for no battery power opening and audit functions



Side opening



ES1034/Mini safe

### Features:

- Illuminated keypad
- LED display
- Visual and audio operating signals
- 3-6 digits code
- Mechanical key override
- Low battery indicator(by press button)
- Automatic lockout for 5 minutes after 3 tries
- Motorized locking system
- Scratch resistant powder coat finish
- Standard colours black and ivory

### Specifications:

- Operated 4 x AA battery cells
- Two 19mm diameter hardened steel locking bolts
- Ext.dimension: W320 x D260 x H200mm
- N.W:7.3kgs

34