Minibars · Absorption Series

- The newest absorption cooling system, more effective cooling
- · CFC free Eco-friendly
- · Completely silent during working, quiet and comfortable
- · Lower energy consumption
- ·Long-life key parts, no more concerns of frequent maintenance



.07000

General specifications:

30L capacity with glass door
Adjustable tempered glass shelves, safe and deluxe
Interior LED light with low rated power.
Automatic defrosting
Reversible door
Door lock is available on request

UK or Euro plug CE approved



General specifications:

30L capacity with foam door
Adjustable tempered glass shelves, safe and deluxe
Interior LED light with low rated power.
Automatic defrosting
Reversible door with adjustable retainers
Door lock is available on request

UK or Euro plug CE approved



Technical data:

Power 220–240V,50/60Hz,70W Power consumption 1.0kWh//24h Cooling temperature:5 – 7°C/8–10°C Size: W400 × D410 × H495mm Net weight:16.24 kgs



Technical data:

Power 220–240V,50/60Hz,70W Power consumption 0.75 kWh/24h Cooling temperature:4–6°C/7–9°C Size: W400 x D415 x H495mm Net weight:12.56 kgs



ES7640

General specifications:

40L capacity with glass door Adjustable tempered glass shelves, safe and deluxe Interior LED light with low rated power. Automatic defrosting Reversible door Door lock is available on request

UK or Euro plug CE approved



Technical data:

Power 220-240V,50/60Hz,70W Power consumption 1.0 kWh/24h Cooling temperature:5 -7°C/8-10°C Size: W400 × D440 × H560mm Net weight: 18.84 kgs



General specifications:

40L capacity with foam door Adjustable tempered glass shelves, safe and deluxe Interior LED light with low rated power. Automatic defrosting Reversible door with adjustable retainers

Door lock is available on request UK or Euro plug

CE approved



Technical data:

Power 220-240V,50/60Hz,70W Power consumption 0.75 kWh/24h Cooling temperature:4 -6°C/7-9°C Size: W400 × D440 × H560mm Net weight: 14.4 kgs

Minibars · Thermoelectric Series

- · The most advanced semiconductor refrigeration technology
- CFC free.no ammonia.no freon.Eco-friendly
- No motor, no moving parts, completely silent during operation
- . Energy saving and good cooling performance
- . Stable quality with extremely low maintenance rate



ES7632

General specifications:

30L capacity with glass door Automatic defrosting Adjustable shelf Interior LED light Reversible door CFC-free,ECO-Friendly Optional door lock UK or Euro plug CE approved



Technical data:

Power 220-240V,50/60Hz,60W Power consumption: 0.45kWh/24h Cooling temperature:5-8°C Size:W380 x D435 x H475mm Net weight: 12.3kgs



ES7532

General specifications:

30L capacity with solid door Automatic defrosting Adjustable shelf Interior LED light Reversible door CFC-free,ECO-Friendly Optional door lock UK or Euro plug CE approved



Technical data: Power 220-240V,50/60Hz,60W Power consumption: 0.362kWh/24h Cooling temperature:5-8°C Size:W380 x D445 x H475mm Net weight: 11kgs



L37033

General specifications:

40L capacity with glass door Automatic defrosting Adjustable shelf Interior LED light Reversible door CFC-free,ECO-Friendly Optional door lock UK or Euro plug CE approved



Technical data:

Power 220–240V,50/60Hz,60W Power consumption:0.45kWh/24h Cooling temperature:5–8°C Size:W405 x D430 x H545mm Net weight:14.5kgs



ES7533

General specifications:

40L capacity with solid door Automatic defrosting Adjustable shelf Interior LED light Reversible door CFC—free, ECO—Friendly Optional door lock UK or Euro plug CE approved



Power 220–240V,50/60Hz,60W Power consumption:0.362kWh/24h Cooling temperature:5–8°C Size:W405 x D438 x H545mm Net weight:13.2kgs